
Common Multiples Of 8 And 9 Less Than 100

*Common Multiples Of 8
And 9 Less Than 100*

*Downloaded from
old.oplm.com by
Melendez & Shannon*

INTRODUCTION TO MULTIPLES AND THEIR IMPORTANCE IN MATHEMATICS

Mathematics is a subject built upon patterns, relationships, and logical connections. Among the most fundamental concepts that students encounter in their early mathematical journey is the idea of multiples.

Understanding multiples is not merely an academic exercise; it is a skill that appears in various real-world contexts, from scheduling events to solving problems in engineering and computer science. When we begin to explore relationships between different numbers, we uncover a fascinating world of common ground. One particularly interesting exploration involves finding the **common multiples of 8 and 9 less than 100**. This specific inquiry

helps bridge the gap between basic arithmetic and more advanced concepts like the least common multiple (LCM) and number theory. In this article, we will dive deep into what multiples are, how to find them, and specifically identify all the common multiples of 8 and 9 that fall below 100, all while maintaining a natural and engaging flow for readers of all levels.

WHAT EXACTLY ARE MULTIPLES?

Before we can discuss common multiples, we must first establish a solid understanding of what a multiple is. A multiple of a given number is the product of that number and any integer. In simpler terms, if you take a number and multiply it by 1, 2, 3, 4, and so on, the results you get are the multiples of

that number. For example, the multiples of 3 are 3, 6, 9, 12, 15, and this pattern continues infinitely. Every number has an endless set of multiples because you can keep multiplying by larger and larger integers without ever stopping.

Multiples are distinct from factors, which are numbers that divide evenly into a given number. While factors are finite and limited, multiples are infinite and stretch on forever. This distinction is important because when we talk about common multiples, we are looking for numbers that appear in the multiple lists of two or more different numbers. The concept of common multiples is what allows us to synchronize cycles, find common denominators in fractions, and solve many practical problems that involve repeated patterns.

The Multiples of 8

Let us start by examining the multiples of 8. To generate these, we simply multiply 8 by each positive integer in sequence. The multiples of 8 are: 8, 16, 24, 32, 40, 48, 56, 64, 72, 80, 88, 96, 104, and so on. Notice that each number is exactly 8 more than the previous one. This consistent interval is what defines the pattern of multiples. The sequence continues upward without bound, but for our specific purpose, we are only interested in those that remain under 100. Already, we can see that 104 exceeds 100, so we stop at 96. This gives us twelve multiples of 8 that are

less than 100: 8, 16, 24, 32, 40, 48, 56, 64, 72, 80, 88, and 96.

The Multiples of 9

Similarly, the multiples of 9 are generated by multiplying 9 by each positive integer. The multiples of 9 are: 9, 18, 27, 36, 45, 54, 63, 72, 81, 90, 99, 108, and so forth. Again, the pattern is consistent, with each number being 9 more than the previous. For numbers less than 100, we stop at 99 because 108 exceeds our limit. This gives us eleven multiples of 9 that are less than 100: 9, 18, 27, 36, 45, 54, 63, 72, 81, 90, and 99.

UNDERSTANDING COMMON MULTIPLES

A common multiple is simply a number that is a multiple of two or more numbers simultaneously. In other words, it is a number that appears in the multiple lists of each of the numbers under consideration. When we seek the **common multiples of 8 and 9 less than 100**, we are looking for numbers that are divisible by both 8 and 9 without leaving any remainder. These numbers represent points where the two sequences intersect, where the patterns of 8 and 9 align perfectly.

Finding common multiples is a fundamental skill that extends far beyond the classroom. For instance, if you have two events that occur every 8

days and every 9 days respectively, the common multiples tell you on which days both events will happen simultaneously. This type of problem appears in scheduling, project management, and even in natural phenomena like planetary alignments. The concept is also crucial when adding or subtracting fractions with different denominators, as you need to find a common denominator, which is essentially a common multiple of the denominators.

HOW TO FIND THE COMMON MULTIPLES OF 8 AND 9

There are several methods to find the common multiples of 8 and 9. The most straightforward approach is to list the multiples of each number and then

identify the numbers that appear in both lists. This method is simple and intuitive, especially for smaller ranges like numbers under 100. However, for larger numbers or when dealing with more than two numbers, this method can become cumbersome. Another approach is to use the concept of the least common multiple (LCM) and then generate multiples of that LCM.

The LCM of 8 and 9 is the smallest positive integer that is divisible by both numbers. Since 8 and 9 are **coprime** (they share no common factors other than 1), their LCM is simply their product: 8 multiplied by 9 equals 72. This means that 72 is the smallest number that is a multiple of both 8 and 9. Once you have the LCM, every multiple of that LCM is also a common

multiple of the original numbers. So, the common multiples of 8 and 9 are simply the multiples of 72: 72, 144, 216, and so on. This insight dramatically simplifies the search for common multiples, especially when dealing with larger ranges.

Listing the Common Multiples of 8 and 9 Less Than

100

Using the LCM method, we know that the common multiples of 8 and 9 are the multiples of 72. Now we simply ask: what multiples of 72 are less than 100? The first multiple of 72 is 72 itself. The next multiple is 144, which is already greater than 100. Therefore, the only common multiple of 8 and 9 that is less than 100 is **72**.

Let us verify this by checking the lists we created earlier. In the list of multiples of 8 under 100, we had: 8, 16, 24, 32, 40, 48, 56, 64, 72, 80, 88, 96. In the list of multiples of 9 under 100, we had: 9, 18, 27, 36, 45, 54, 63, 72, 81, 90, 99. The only number that appears in both lists is 72. This confirms our finding. So, there is

exactly one common multiple of 8 and 9 that is less than 100, and that number is **72**.

This result might seem surprising to some. With twelve multiples of 8 and eleven multiples of 9 under 100, one might expect more overlap. However, because 8 and 9 are relatively prime and their product is 72, the gaps between common multiples are quite large. The next common multiple, 144, is well beyond 100. This illustrates an important point: common multiples can be sparse, especially when the numbers involved are large or have no common factors.

THE SIGNIFICANCE OF 72 AS THE LEAST COMMON MULTIPLE

Since 72 is the only common multiple under 100, it naturally holds the title of

the **least common multiple (LCM)** of 8 and 9. The LCM is a crucial concept in mathematics because it represents the smallest positive number that can serve as a common denominator for fractions involving the two numbers. For example, when adding the fractions $\frac{1}{8}$ and $\frac{1}{9}$, the least common denominator is 72. This allows you to rewrite the fractions as $\frac{9}{72}$ and $\frac{8}{72}$, respectively, making addition straightforward: $\frac{9}{72}$ plus $\frac{8}{72}$ equals $\frac{17}{72}$.

The LCM also has practical applications in modular arithmetic, cryptography, and the design of repeating patterns. In music, for instance, the LCM helps determine when two rhythmic patterns will align. In engineering, it is used to synchronize rotating gears or repeating cycles in machinery. The fact that 8 and

9 have an LCM of 72 means that if two processes have cycles of 8 and 9 units, they will coincide every 72 units, and not before.

WHY UNDERSTANDING COMMON MULTIPLES MATTERS

The ability to find common multiples is not just a classroom exercise; it is a skill that translates directly into real-world problem-solving. Consider a scenario where you are organizing a community event. One volunteer team visits every 8 days to set up, and another team visits every 9 days to clean up. You want to schedule a day when both teams are present so that you can coordinate a special activity. The common multiples of 8 and 9 tell you which days both teams will be on site. If you are planning

within the first 100 days, the only day that works is day 72. Without understanding common multiples, you might waste time searching for a day that does not exist.

In business, inventory management often relies on common multiples. If a supplier delivers a certain product every 8 days and another product every 9 days, the common multiples help determine when both shipments arrive together. This can optimize storage, staffing, and logistics. Similarly, in digital signal processing, common multiples are used to synchronize data streams operating at different frequencies. The applications are vast and varied.

Furthermore, understanding common multiples deepens your overall number sense. It trains you to see relationships

between numbers, recognize patterns, and think logically about divisibility. These are foundational skills that support more advanced mathematics, including algebra, number theory, and combinatorics. By mastering the concept of common multiples early, you build a strong framework for future learning.

COMMON MISCONCEPTIONS AND MISTAKES TO AVOID

When learning about common multiples, students often make a few predictable errors. One common mistake is confusing multiples with factors. Remember, multiples are the product of a number and an integer, while factors are numbers that divide evenly into a given number. Another mistake is assuming that common multiples are

always frequent or close together. As we saw with 8 and 9, the common multiples can be quite spread out, especially when the numbers are coprime. Some students also forget to check whether the LCM itself is less than the specified upper limit. In our case, 72 is less than 100, so it counts. If the LCM were greater than 100, then there would be no common multiples in that range.

Another error is miscalculating the LCM. For 8 and 9, since they are coprime, the LCM is their product. But for numbers that share common factors, you must use the prime factorization method or the division method to find the correct LCM. For example, the LCM of 8 and 12 is not 96 (their product) but 24, because 8 and 12 share a factor of 4. Always check whether the numbers have

common factors before assuming the LCM is the product.

Finally, when listing multiples, be careful to include all multiples up to the limit. For 8 under 100, it is easy to accidentally skip 96 or include 104. A systematic approach of multiplying sequentially and checking each result against the limit helps avoid such errors. Using the LCM method as a shortcut can also reduce the chance of mistakes, but it is always good to verify with a small list.

PRACTICAL EXERCISES TO REINFORCE LEARNING

To truly internalize the concept of common multiples, practice is essential. Here are a few exercises you can try on your own. First, find all the common

multiples of 6 and 10 that are less than 100. Hint: start by finding the LCM. Second, find the common multiples of 5 and 7 that are less than 100. Notice that 5 and 7 are also coprime, so the pattern will be